

To: [Nonresponsive based on revised scope]@WestonSolutions.com]
From: Wagner, Christine[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]
Sent: Tue 10/9/2018 4:29:34 PM (UTC)
Subject: Fwd: Case# 47768, SDG# C0AD3 - Validated Data for Shiloh Church Road Site
[image001.png](#)
[ATT00001.htm](#)
[47768 C0AD3 ltr.pdf](#)
[ATT00002.htm](#)
[47768 C0AD3 DVR.pdf](#)
[ATT00003.htm](#)
[47768 C0AD3 SSR.pdf](#)
[ATT00004.htm](#)
[EQulS 1 47768 C0AD3 Validated.xls](#)
[ATT00005.htm](#)
[EQulS 2 47768 C0AD3 Validated.xls](#)
[ATT00006.htm](#)
[EQulS 3 47768 C0AD3 Validated.xls](#)
[ATT00007.htm](#)
[EQulS 47768 C0AD3 Validated.xls](#)
[ATT00008.htm](#)

Begin forwarded message:

From: "[Nonresponsive based on revised scope]@epa.gov>
To: "Wagner, Christine" <Wagner.Christine@epa.gov>
Cc: "[Nonresponsive based on revised scope]@westonsolutions.com>," [Nonresponsive based on revised scope]@westonsolutions.com", [Nonresponsive based on revised scope]@westonsolutions.com>," [Nonresponsive based on revised scope]@epa.gov>," [Nonresponsive based on revised scope]@epa.gov>
Subject: Case# 47768, SDG# C0AD3 - Validated Data for Shiloh Church Road Site

Christine Wagner
US EPA Region 3
1650 Arch Street
Philadelphia, PA 19103-2029

Christine,

Attached to this message you will find electronic files containing the validation report and validated data for Shiloh Church Road Site, Case# 47768, SDG# C0AD3. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO, [Nonresponsive based on revised scope] by phone at 410-305-2607 or e-mail at [Nonresponsive based on revised scope]@epa.gov if additional assistance is needed.

TO # 0002

TDF # 0818124